

27156 HB PRO LED HI 150W-NW

High-bay LED light fitting

5905339271563



Kanlux HB PRO LED are “High Bay” luminaires. Apart from the energy efficiency of the applied LED technology, they are characterised by high durability and tightness of IP65. It is an excellent choice for high storage, production or shop halls. An additional advantage of these luminaires is an integrated junction box which makes the installation easier. Kanlux HB PRO HI also offers both a high luminous flux and a high luminous efficiency of 150 lm/W.

GENERAL DATA:


Colour: black
Place of assembly: ceiling mounted
Place of application: Indoors and outdoors
Minimum distance from the illuminated object: 1m
Compatible with a dimmer: no
Height [mm]: 165
Diameter [mm]: 330
Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Maximum power [W]: 150
Class of protection against electric shock: I
Diode type: LED SMD
Luminous flux [lm]: 21750
Colour temperature: white
Correlated colour temperature [K]: 4000
Colour consistency in McAdam ellipses: ≤6
Colour rendering index: 80
Service life [h]: 30000
Number of on/off cycles: ≥15000
Lighting angle [°]: 90
Luminous efficiency of the lamp [lm/W]: 145
Ambient temperature range to which the product can be exposed: -20÷40
Enclosure material: aluminum alloy
Protective glass material: plastic
Connection type: Bolt terminal block
Lamp-heating time [s]: ≤1
Lamp-ignition time [s]: ≤0,5
IK class: 08
IP class: 65

27156 HB PRO LED HI 150W-NW

High-bay LED light fitting




LOGISTIC DATA:

Unit of measurement: unit
Packaging method: 1
Number of units in the secondary packaging: 1
Number of units in the packaging: 1
Net unit weight [g]: 2728
Grammage [g]: 3370
Length of a unit pack [cm]: 35
Width of a unit pack [cm]: 36
Height of a unit pack [cm]: 17
Weight of a cardboard box [kg]: 3.37
Width of a cardboard box [cm]: 36
Height of a cardboard box [cm]: 17
Length of a cardboard box [cm]: 35
Volume of a cardboard box [m³]: 0.02142


ADDITIONAL INFORMATION:

- 5 years Warranty under the terms of the warranty statement, available on our website



KANLUX S.A. (kat 27156) HB PRO LED HI 150W-NW / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27156) HB PRO LED HI 150W-NW
Lamps: 1 x HB PRO LED HI 150W-NW




27156 HB PRO LED HI 150W-NW

High-bay LED light fitting


KANLUX S.A. (kat 27156+33197) HB PRO LED HI 150W-NW + GRID / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27156+33197) HB PRO LED HI 150W-NW + GRID
Lamps: 1 x HB PRO LED HI 150W-NW



KANLUX S.A. (kat 27156+33191) HB PRO LED HI 150W-NW + LENS 50D / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27156+33191) HB PRO LED HI 150W-NW + LENS 50D
Lamps: 1 x HB PRO LED HI 150W-NW




27156 HB PRO LED HI 150W-NW

High-bay LED light fitting


KANLUX S.A. (kat 27156+33191+33197) HB PRO LED HI 150W-NW + LENS 50D + GRID / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27156+33191+33197) HB PRO LED HI 150W-NW + LENS 50D + GRID
Lamps: 1 x HB PRO LED HI 150W-NW



KANLUX S.A. (kat 27156+33194) HB PRO LED HI 150W-NW + LENS 120D / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27156+33194) HB PRO LED HI 150W-NW + LENS 120D
Lamps: 1 x HB PRO LED HI 150W-NW




27156 HB PRO LED HI 150W-NW

High-bay LED light fitting

KANLUX S.A. (kat 27156+33194+33197) HB PRO LED HI 150W-NW + LENS 120D + GRID / LDC (Polar)

Luminaire: KANLUX S.A. (kat 27156+33194+33197) HB PRO LED HI 150W-NW + LENS 120D + GRID
Lamps: 1 x HB PRO LED HI 150W-NW



ACCESSORIES:

33193 HBPH LENS 120D 100W 120-degree lens for the HB PRO HI 100W, HBPH LENS 120D 100W light fittings (33193)



33194 HBPH LENS 120D 150W 120-degree lens for the HB PRO HI 150W, HBPH LENS 120D 150W light fittings (33194)



33195 HBPH LENS 120D 200W 120-degree lens for the HB PRO HI 200W, HBPH LENS 120D 200W light fittings (33195)



33190 HBPH LENS 50D 100W 50-degree lens for the HB PRO HI 100W, HBPH LENS 50D 100W light fittings (33190)



27156 HB PRO LED HI 150W-NW

High-bay LED light fitting

33191 HBPH LENS 50D 150W 50-degree lens for the HB PRO HI 150W, HBPH LENS 50D 150W light fittings (33191)



33192 HBPH LENS 50D 200W 50-degree lens for the HB PRO HI 200W, HBPH LENS 50D 200W light fittings (33192)



33196 HBPH GRID 100W Protective grid for the HB PRO LED HI 100W-NW, HBPH GRID 100W light fittings, silver (33196)



33197 HBPH GRID 150W Protective grid for the HB PRO LED HI 150W-NW, HBPH GRID 150W light fittings, silver (33197)



33198 HBPH GRID 200W Protective grid for the HB PRO LED HI 200W-NW, HBPH GRID 200W light fittings, silver (33198)

