

Track light projector

5905339331359



Kanlux ACORD ATL 1 are integrated lighting fixtures to be mounted on three-phase track. These are lamps that can be adapted to our individual needs. We can choose white or black, two powers (18W and 30W), light color and lighting angle (standard is 60°, but we can replace the reflector and change the angle to 15° or 36°) depending on whether we want to illuminate the surface or a specific detail. Kanlux ACORD ATL 1 stands for 50 000 hours of durability and a 5-year warranty. Branded key components (LED COB and power supply), high level of real color rendering (CRI > 90) and elimination of glare (UGR < 19) are other advantages of these unique luminaires.


GENERAL DATA:

Colour: black
Place of assembly: rail TEAR
Place of application: Indoors
Minimum distance from the illuminated object: 0,5m
Compatible with a dimmer: no
Integrated LED light source: yes

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC
Rated frequency [Hz]: 50
Maximum power [W]: 30
Class of protection against electric shock: II
Diode type: LED COB
Luminous flux [lm]: 2850
Colour temperature: Warm white
Correlated colour temperature [K]: 3000
Colour consistency in McAdam ellipses: ≤6
Colour rendering index: 90
Service life [h]: 50000
Number of on/off cycles: ≥30000
Lighting angle [°]: 60
Luminous efficiency of the lamp [lm/W]: 95
Ambient temperature range to which the product can be exposed: 5÷25
Enclosure material: aluminum alloy
Protective glass material: plastic
Lamp-heating time [s]: ≤1
Lamp-ignition time [s]: ≤0,5
The fixture is movable horizontally [°]: 315
The fixture is movable vertically [°]: 90
IP class: 20

Track light projector



LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 15

Number of units in the secondary packaging: 1

Number of units in the packaging: 15

Net unit weight [g]: 790

Grammage [g]: 946.67

Length of a unit pack [cm]: 18

Width of a unit pack [cm]: 9.5

Height of a unit pack [cm]: 25.5

Weight of a cardboard box [kg]: 14.20005

Width of a cardboard box [cm]: 28


Height of a cardboard box [cm]: 50

Length of a cardboard box [cm]: 56.5

Volume of a cardboard box [m³]: 0.0791


ADDITIONAL INFORMATION:

- 5 years Warranty under the terms of the warranty statement, available on our website
- for installation on the TEAR N busbar



KANLUX S.A. (kat 33135) ATL1 30W-930-S6-B / LDC (Polar)

Luminaire: KANLUX S.A. (kat 33135) ATL1 30W-930-S6-B
Lamps: 1 x ATL1 30W-930-S6




33135 ATL1 30W-930-S6-B

Track light projector


KANLUX S.A. (kat 33135+33142) ATL1 30W-930-S6-B + 33142 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 33135+33142) ATL1 30W-930-S6-B + 33142
Lamps: 1 x ATL1 30W-930-S6



KANLUX S.A. (kat 33135+33143) ATL1 30W-930-S6-B + 33143 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 33135+33143) ATL1 30W-930-S6-B + 33143
Lamps: 1 x ATL1 30W-930-S6



Track light projector

ACCESSORIES:

33140 REF ATL1-18W-S15 Reflector for the ATL 1 luminaire, 18 W, 15 degrees



33141 REF ATL1-18W-S36 Reflector for the ATL 1 luminaire, 18 W, 36 degrees



33142 REF ATL1-30W-S15 Reflector for the ATL 1 luminaire, 30 W, 15 degrees



33143 REF ATL1-30W-S36 Reflector for the ATL 1 luminaire, 30 W, 36 degrees

