


08630 GIVRO LED-CW 50M

Rope lights

5905339086303



Kanlux GIVRO LED are 50-meter rope lights available in different colours. Power supply device Kanlux GIVRO PR SET is required for its proper functioning. The rope can be divided into segments and it is possible to reconnect it at the cut-off point into any arrangement owing to the elements of Kanlux GIVRO LED system. With colourful LED ropes, it is possible to bring out the room's character. Kanlux GIVRO LED can also be used outdoors: in balconies, gazebos and gardens.

PRODUCT PARAMETERS:

Colour: cold white

Place of application: Indoors and outdoors

Minimum distance from the illuminated object: 0,1m

The product is not suitable to be covered with a heat-insulating material: yes

Length [mm]: 50000

Diameter [mm]: 13

Mercury content: no

Rated voltage [V]: 220-240 DC

Rated power [W]: 125

Class of protection against electric shock: II

Diode type: LED DIP

Colour temperature: cold white

Rated lamp-service life [h]: 50000

Ambient temperature range to which the product can be exposed: -5÷25

IP class: 44

LOGISTIC DATA:

Unit of measurement: unit

Packaging method: 2

Number of units in the secondary packaging: 1

Number of units in the packaging: 2

Net unit weight [g]: 7622

Grammage [g]: 9050

Length of a unit pack [cm]: 36

Width of a unit pack [cm]: 36

Height of a unit pack [cm]: 18

Weight of a cardboard box [kg]: 18.1

Width of a cardboard box [cm]: 38

Height of a cardboard box [cm]: 38

Length of a cardboard box [cm]: 38

Volume of a cardboard box [m³]: 0.054872

ADDITIONAL INFORMATION:

Date of issue: 04.08.2021, 10:13

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

08630 GIVRO LED-CW 50M

Rope lights

- 50m long rope
- the possibility to divide the LED strips into segments (1m = 36 x LED)
- power cord of GIVRO PR SET, available in Kanlux offer, is needed for proper operation

ACCESSORIES:

08637 GIVRO PR SET Conductor + set of connectors, GIVRO PR SET(8637)



08636 GIVRO-90L Elbow connector, GIVRO-90L(8636)



08639 GIVRO-I Connector, type "I", GIVRO-I(8639)



08641 GIVRO-T Connector, type "T", GIVRO-T (8641)



08635 GIVRO-X Connector, type "X", GIVRO-X(8635)



08630 GIVRO LED-CW 50M

Rope lights

08640 GIVRO-PEND

Plastic tag, package 10pcs., GIVRO-PEND (8640)



08638 GIVRO-Z

Stopper, package 3 pcs., GIVRO-Z(8638)

