Kanlux

08633 GIVRO LED-GN 50M

Rope lights

5905339086334

IP 44

LED techno logy

CE

Kanlux GIVRO LED are 50-meter rope lights available in different colours. Power supply device Kanlux GIVRO PR SET is required for its proper functioning. The rope can be divided into segments and it is possible to reconnect it at the cut-off point into any arrangement owing to the elements of Kanlux GIVRO LED system. With colourful LED ropes, it is possible to bring out the room's character. Kanlux GIVRO LED can also be used outdoors: in balconies, gazebos and gardens.

PRODUCT PARAMETERS:

Colour: green
Place of application: Indoors and outdoors
Minimum distance from the illuminated object: 0,1m
The product is not suitable to be covered with a heat-insulating material: yes
Length [mm]: 50000
Diameter [mm]: 13
Mercury content: no
Rated voltage [V]: 220-240 DC
Rated power [W]: 125
Class of protection against electric shock: II
Diode type: LED DIP
Colour temperature: green
Rated lamp-service life [h]: 50000
Ambient temperature range to which the product can be exposed: -5÷25
IP class: 44

ø13mm

1m

L=50m

LOGISTIC DATA:

Unit of measurement: unit
Packaging method: 2
Number of units in the secondary packaging: 1
Number of units in the packaging: 2
Net unit weight [g]: 7622
Grammage [g]: 9050
**Length of a unit pack [cm]**: 36
Width of a unit pack [cm]: 36
Height of a unit pack [cm]: 18
Weight of a cardboard box [kg]: 18.1
Width of a cardboard box [cm]: 38
Height of a cardboard box [cm]: 38
Length of a cardboard box [cm] : 38
Volume of a cardboard box [m³]: 0.054872

ADDITIONAL INFORMATION:

EN

08633 GIVRO LED-GN 50M

Rope lights

- 50m long rope
- the possibility to divide the LED strips into segments (1m = 36 x LED)
- power cord of GIVRO PR SET, available in Kanlux offer, is needed for proper operation

ACCESSORIES:

| 08637 | GIVRO PR SET | Conductor + set of connectors, GIVRO PR SET(8637) |

| 08636 | GIVRO-90L | Elbow connector, GIVRO-90L(8636) |

| 08639 | GIVRO-I | Connector, type "I", GIVRO-I(8639) |

| 08641 | GIVRO-T | Connector, type "T", GIVRO-T (8641) |

| 08635 | GIVRO-X | Connector, type "X", GIVRO-X(8635) |

EN

Kanlux

ul. Objazdowa 1-3, 41-922 Radzionków, Poland

08633 GIVRO LED-GN 50M

Rope lights

08640	GIVRO-PEND	Plastic tag, package 10pcs., GIVRO-PEND (8640)

08638	GIVRO-Z	Stopper, package 3 pcs., GIVRO-Z(8638)

Date of issue: 04.08.2021, 10:14
We reserve the right to make technical changes. The data contained in this material are not legally binding.
Photometry: the results obtained from testing were from a specific sample.

EN